



13th Annual Sustainable Forestry Conference

By Johnny Johnson

www.potlatchcorp.com

Search for a place or address





Potlatch Land & Lumber, LLC

650 A Ave
Gwinn, Michigan 49841
(906) 346-8208

Bolt Specifications as of 8-20-15

Jack Pine - Red Pine - Spruce - Balsam Fir

DIMENSIONS:

5" Minimum diameter inside bark for (8') length
6" Minimum diameter inside bark for (9') length
18" Maximum diameter inside bark

LENGTHS:

99" +/- 1" = 8' (Balsam fir - 8' length, only)
107" +/- 1" = 9'

QUALITY:


Fresh cut wood (<28 days)
Free from burn, char, metal, and plastic
Limbs trimmed flush with stem (No stobs or pig ears)
(Limb= 1" diameter x 1" length, solid)
No Forks, No Seams
Burls trimmed off flush with stem
Sound wood, no Shake or Rot (white spec or grub holes)
All ends cut square to stem
No shear cut wood
No excessive butt flare (must be trimmed off if > 1") all sides of bolt
All species delivered must be separated
Sweep and Crook Tolerance:
(5" - 15" dia. Allowed 1.5" sweep measured from exterior of log out)
(15" - 18" no sweep or crook allowed)
No compound sweep, half moons, & cat faces
No mechanical splits

DEFINITIONS:


Bolts:
Jack Pine, Red Pine, Spruce, Balsam Fir
(must meet all of the above criteria)

Cull Bolts: Driver can separate out the non-paid cull bolts from the load and take them from our property.

2016 Potlatch Deliveries By Species




2016 - YTD Log Delivery Source Percentages













Questions/Comments?

www.potlatchcorp.com